

Sika®-CleanGlass

High quality, streak-free glass cleaner, designed for use with Sika AutomotiveLine® products

Technical Product Data

| | |
|------------------------------------|---------------------------------|
| Chemical base | Isopropanol in aqueous solution |
| Color | Light blue, transparent |
| Density (CQP 006-3 / ISO 2811-1) | 0,98 kg / liter approx. |
| Flash point (CQP 007-1/ ISO 13736) | 37°C |
| Application temperature | 5°C to 35°C |
| Application method | Spray and wipe off |
| Shelf life | 60 months |

¹⁾ CQP = Corporate Quality Process

²⁾ 23°C / 50% relative humidity

Description

Sika®-CleanGlass is an alcohol-based solution for cleaning glass and non porous surfaces. Sika®-CleanGlass can be used for the removal of finger marks, residues and general grime. The product leaves no residue on the surface, thus ensuring easy use and no need to re-polish the windscreens afterwards.

Areas of Application

Sika®-CleanGlass has been designed for the cleaning of glass surfaces. It can also be used for cleaning non-porous materials.

Method of Application

Apply Sika®-CleanGlass on surface and wipe dry with a dry, clean, lint-free cloth. Surfaces must be allowed to dry completely before the next step in surface preparation (e.g application of Sika® Aktivator) is applied.

Further Information

Before applying Sika®-CleanGlass to sensitive surfaces (e.g. plastic etc.), we recommend to try out Sika®-CleanGlass on a small, possibly non-visible area of the base material. Before application of adhesive, the surface has to be prepared according to the Sika surface preparation recommendations.

Packaging Information

| | |
|---------------|-----------------------|
| Trigger spray | 500 ml |
| Canister | 25 liter |
| Concentrate | 5 liters ¹ |

¹ Mixing ratio 1 part : 4 part water

Value Bases

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

Health and Safety Information

For information and advice regarding the safe transportation, handling, storage and disposal of chemical products, users should refer to the most recent Material Safety Data Sheets containing physical, ecological, toxicological and other safety-related data.

Legal Notes

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

Further information available at:
www.sika.com

Sika Schweiz AG
Industry
Tüffenwies 16
CH-8048 Zurich
Switzerland
Tel. +41 44 436 40 40
Fax +41 44 436 45 30

